

TEMPORARY

Temporary

67418-T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office APR 13 2001

Returned to applicant for correction

Corrected application filed

Map filed MAR 23 2001 under 67234

The applicant **Peavine Properties, LLC c/o Mr. Robert A Winkel, Esq.** hereby makes application for permission to change the **Point of Diversion, Place and Manner of Use** of water heretofore appropriated under **Permit No. 42655**

1. The source of water is **Underground**
2. The amount of water to be changed **0.45 cfs - 200.03 acre feet annally**
3. The water to be used for **Construction and Fire Protection Purposes**
4. The water heretofore permitted for **Quasi-Municipal and Domestic**
5. The water is to be diverted at the following point **within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 2 T19N, R18E, MDM, or at a point from which the NW corner of Section 3 T19N, R18E, MDM bears N 52 degrees 41 minutes 22 seconds W, a distance of 8,627.30 feet. Same point of diversion proposed under Application to Change No. 67235**
6. The existing permitted point of diversion is located within **SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 10 T19N, R18E, MDM., or at a point from which the SW corner of said Section 10 bears S 80 degrees 35 minutes W, a distance of 2,400 feet. Refer to map under Permit No. 42653.**
7. Proposed place of use **within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 35 T20N, R18E, MDM and portions of the following Sections: S $\frac{1}{2}$ Section 1, Section 2, Section 3, Section 10, Section 11, Section 12 & N $\frac{1}{2}$ NE $\frac{1}{4}$ Section 13 T19N, R18E, MDM**
8. Existing place of use **within E $\frac{1}{2}$ SW $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 10 T19N, R18E, MDM**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Drilled and cased well equipped with motor, pump, totalizing meter and pipeline to place of use.**
12. Estimated cost of works **\$50,000**
13. Estimated time required to construct works **existing well drilled under Waiver No. W-526.**
14. Estimated time required to complete the application of water to beneficial use **1 year**

15. Remarks: Refer to map filed under Permit No. 42653 for existing point for diversion and place of use. This Temporary Application to Change proposes to place water in the same point of diversion as permanent Application to Change No. 67235.

s/Michael D. Buschelman
By Post Office Box 51371
Sparks, Nevada 89435

Compared dl/ds ds/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions.

This temporary permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 42655, is issued subject to the terms and conditions imposed in said Permit 42655, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 42653, 42655, 42656 and Temporary Permit 67418-T shall not exceed 200.03 acre-feet annually.

The total combined diversion rate under 42653, 42655, 42656 and Temporary Permit 67418-T shall not exceed 0.45 cubic feet per second.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on **March 12, 2003** at which time all rights herein granted shall revert to the right being changed by this temporary permit.

The issuance of this temporary permit shall not prejudice any decision the State Engineer may take on Application 67235.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.445 cubic feet per second, but not to exceed 198.01 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Water must be placed to beneficial use on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 13th day of March A.D. 2002


By: Deputy State Engineer, Christine Thiel, P.E.

EXPIRED
DATE MAR 12 2003 *SAC*